#### DOCUMENTATION OF ENVIRONMENTAL INDICATOR DETERMINATION

# Interim Final 2/5/99 RCRA Corrective Action Environmental Indicator (EI) RCRIS code (CA750)

### Migration of Contaminated Groundwater Under Control

Facility Address:	201 Barkwill St., St. Marys, West Virginia, 26170
Facility EPA ID #:	WVD004337135
groundwater	able relevant/significant information on known and reasonably suspected releases to the media, subject to RCRA Corrective Action (e.g., from Solid Waste Management Units egulated Units (RU), and Areas of Concern (AOC)), been <b>considered</b> in this EI determination?  If yes - check here and continue with #2 below.
_	If no - re-evaluate existing data, or  if data are not available skip to #6 and enter "IN" (more information needed) status code.

#### **BACKGROUND**

**Facility Name:** 

#### **Definition of Environmental Indicators (for the RCRA Corrective Action)**

St. Marys Refining Company

Environmental Indicators (EI) are measures being used by the RCRA Corrective Action program to go beyond programmatic activity measures (e.g., reports received and approved, etc.) to track changes in the quality of the environment. The two EI developed to-date indicate the quality of the environment in relation to current human exposures to contamination and the migration of contaminated groundwater. An EI for non-human (ecological) receptors is intended to be developed in the future.

# Definition of "Migration of Contaminated Groundwater Under Control" EI

A positive "Migration of Contaminated Groundwater Under Control" EI determination ("YE" status code) indicates that the migration of "contaminated" groundwater has stabilized, and that monitoring will be conducted to confirm that contaminated groundwater remains within the original "area of contaminated groundwater" (for all groundwater "contamination" subject to RCRA corrective action at or from the identified facility (i.e., site-wide)).

# **Relationship of EI to Final Remedies**

While Final remedies remain the long-term objective of the RCRA Corrective Action program the EI are near-term objectives which are currently being used as Program measures for the Government Performance and Results Act of 1993, GPRA). The "Migration of Contaminated Groundwater Under Control" EI pertains ONLY to the physical migration (i.e., further spread) of contaminated ground water and contaminants within groundwater (e.g., non-aqueous phase liquids or NAPLs). Achieving this EI does not substitute for achieving other stabilization or final remedy requirements and expectations associated with sources of contamination and the need to restore, wherever practicable, contaminated groundwater to be suitable for its designated current and future uses.

#### **Duration / Applicability of EI Determinations**

EI Determinations status codes should remain in RCRIS national database ONLY as long as they remain true (i.e., RCRIS status codes must be changed when the regulatory authorities become aware of contrary information).

Page 2

2.	Is <b>groundwater</b> known or reasonably suspected to be " <b>contaminated</b> " above appropriately protective "levels" (i.e., applicable promulgated standards, as well as other appropriate standards, guidelines, guidance, or criteria) from releases subject to RCRA Corrective Action, anywhere at, or from, the facility?	
	<u>X</u>	If yes - continue after identifying key contaminants, citing appropriate "levels," and referencing supporting documentation.
		If no - skip to #8 and enter "YE" status code, after citing appropriate "levels," and

referencing supporting documentation to demonstrate that groundwater is not

Rationale and Reference(s):

"contaminated."

Based on groundwater sampling performed for the RFI and documented in the Draft RFI Report, the following constituents exceed either the USEPA Maximum Contaminant Level (MCL) or the applicable risk-based standards in at least one monitoring well:

Volatile organic compounds: benzene, ethylbenzene, toluene, 1,2-dichloroethane, MTBE Semivolatile organic compounds: dibenzo(a,h)anthracene, naphthalene Inorganics (metals): antimony, arsenic, chromium, lead, manganese

If unknown - skip to #8 and enter "IN" status code.

The constituents found most frequently above the MCLs or risk-based standards are benzene and arsenic. Concentrations are highest on the Facility in the areas of contaminated soils and free product and are lowest outside of the Facility boundary.

Reference: Shaw Environmental Inc., 2003, Draft RCRA Facility Investigation (RFI) Report

#### Footnotes:

<sup>1</sup>"Contamination" and "contaminated" describes media containing contaminants (in any form, NAPL and/or dissolved, vapors, or solids, that are subject to RCRA) in concentrations in excess of appropriate "levels" (appropriate for the protection of the groundwater resource and its beneficial uses).

Page 3

3. Has the **migration** of contaminated groundwater **stabilized** (such that contaminated groundwater is expected to remain within "existing area of contaminated groundwater" as defined by the monitoring locations designated at the time of this determination)?

X	If yes - continue, after presenting or referencing the physical evidence (e.g., groundwater sampling/measurement/migration barrier data) and rationale why contaminated groundwater is expected to remain within the (horizontal or vertical) dimensions of the "existing area of groundwater contamination" <sup>2</sup> ).
	If no (contaminated groundwater is observed or expected to migrate beyond the designated locations defining the "existing area of groundwater contamination" <sup>2</sup> ) - skip to #8 and enter "NO" status code, after providing an explanation.
	If unknown - skip to #8 and enter "IN" status code.

#### Rationale and Reference(s):

Groundwater samples have been collected for more than ten years at the Facility. In the Draft RFI Report, concentrations in the monitoring wells were plotted versus time. Except in the source areas, groundwater concentrations of benzene have progressively decreased. Benzene is the contaminant with the highest levels at the site, and therefore a decrease in benzene indicates that the other contaminants are also decreasing. Benzene is now below the detection levels in some wells where it was previously found. The concentration plots are in App. N of the RFI Report.

The groundwater flow and transport was modeled for the Facility and is discussed in Chapter 7.0 of the Draft RFI report. The model is based on the subsurface conditions determined during the investigation. This model was used to evaluate future concentrations of benzene, ethylbenzene, toluene, and total xylenes. The model predicts that concentrations will continue to decrease over time.

Two soil vapor extraction systems are in-place to treat some source areas, as discussed in the Interim Measures Work Plan (HMI, 1997). In addition, a product recovery system was installed in Monitoring Well MW-38, where measurable free product was detected during RFI groundwater sampling. Pumping will continue in this well until residual product is removed.

In 1997, a door to door survey in the residential areas around the Facility was conducted to determine if basements were impacted by groundwater contamination, and to document any private wells. An expanded survey was conducted in 2001. The surveys found that no basements exhibited volatile vapors, and no active private water wells existed in the area surveyed.

Reference: Shaw Environmental, Inc., 2003, Draft RCRA Facility Investigation (RFI) Report.

#### Footnotes:

<sup>2</sup> "existing area of contaminated groundwater" is an area (with horizontal and vertical dimensions) that has been verifiably demonstrated to contain all relevant groundwater contamination for this determination, and is defined by designated (monitoring) locations proximate to the outer perimeter of "contamination" that can and will be sampled/tested in the future to physically verify that all "contaminated" groundwater remains within this area, and that the further migration of "contaminated" groundwater is not occurring. Reasonable allowances in the proximity of the monitoring locations are permissible to incorporate formal remedy decisions (i.e., including public participation) allowing a limited area for natural attenuation.

4.	Does "contaminated" groundwater <b>discharge</b> into <b>surface water</b> bodies?		
	If yes - continue after identifying potentially affected surface water bodies.		
	X If no - skip to #7 (and enter a "YE" status code in #8, if #7 = yes) after providing an explanation and/or referencing documentation supporting that groundwater "contamination" does not enter surface water bodies.		
	If unknown - skip to #8 and enter "IN" status code.		
	Rationale and Reference(s): The extent of groundwater contamination is evaluated in the Draft RFI Report submitted to USEPA in 2003. The Ohio River is located to approximately 750 feet north of the Faculty. Wolf Creek is diverted underground and discharges east of the facility. Based on the results of groundwater sample collected north and east of the facility, groundwater contamination has not reached either surface water body. The results of the groundwater flow and transport model discussed under item No. 3 also predict that groundwater will not impact surface water near the Facility.		
	Reference:		
	Shaw Environmental, Inc. 2003, Draft RCRA Facility Investigating (RFI) Report		

5.	Is the <b>discharge</b> of "contaminated" groundwater into surface water likely to be " <b>insignificant</b> " (i.e., the maximum concentration <sup>3</sup> of each contaminant discharging into surface water is less than 10 times their appropriate groundwater "level," and there are no other conditions (e.g., the nature, and number, of discharging contaminants, or environmental setting), which significantly increase the potential for unacceptable impacts to surface water, sediments, or eco-systems at these concentrations)?	
		If yes - skip to #7 (and enter "YE" status code in #8 if #7 = yes), after documenting: 1) the maximum known or reasonably suspected concentration <sup>3</sup> of <u>key</u> contaminants discharged above their groundwater "level," the value of the appropriate "level(s)," and it there is evidence that the concentrations are increasing; and 2) provide a statement of professional judgement/explanation (or reference documentation) supporting that the discharge of groundwater contaminants into the surface water is not anticipated to have unacceptable impacts to the receiving surface water, sediments, or eco-system.
		If no - (the discharge of "contaminated" groundwater into surface water is potentially significant) - continue after documenting: 1) the maximum known or reasonably suspected concentration <sup>3</sup> of <u>each</u> contaminant discharged above its groundwater "level," the value of the appropriate "level(s)," and if there is evidence that the concentrations are increasing; and 2) for any contaminants discharging into surface water in concentrations <sup>3</sup> greater than 100 times their appropriate groundwater "levels," the estimated total amount (mass in kg/yr) of each of these contaminants that are being discharged (loaded) into the surface water body (at the time of the determination), and identify if there is evidence that the amount of discharging contaminants is increasing.
		If unknown - enter "IN" status code in #8.
	Rationale and Re	ference(s):
	Footnotes:	
	<sup>3</sup> As measured in hyporheic) zone.	groundwater prior to entry to the groundwater-surface water/sediment interaction (e.g.,

6.	Can the <b>discharge</b> of "contaminated" groundwater into surface water be shown to be " <b>currently acceptable</b> " (i.e., not cause impacts to surface water, sediments or eco-systems that should not be allowed to continue until a final remedy decision can be made and implemented <sup>4</sup> )?	
		If yes - continue after either: 1) identifying the Final Remedy decision incorporating these conditions, or other site-specific criteria (developed for the protection of the site's surface water, sediments, and eco-systems), and referencing supporting documentation demonstrating that these criteria are not exceeded by the discharging groundwater; OR 2) providing or referencing an interim-assessment, <sup>5</sup> appropriate to the potential for impact, that shows the discharge of groundwater contaminants into the surface water is (in the opinion of a trained specialists, including ecologist) adequately protective of receiving surface water, sediments, and eco-systems, until such time when a full assessment and final remedy decision can be made. Factors which should be considered in the interim-assessment (where appropriate to help identify the impact associated with discharging groundwater) include: surface water body size, flow, use/classification/habitats and contaminant loading limits, other sources of surface water/sediment contamination, surface water and sediment sample results and comparisons to available and appropriate surface water and sediment "levels," as well as any other factors, such as effects on ecological receptors (e.g., via bio-assays/benthic surveys or site-specific ecological Risk Assessments), that the overseeing regulatory agency would deem appropriate for making the EI determination.
	_	If no - (the discharge of "contaminated" groundwater can not be shown to be " <b>currently acceptable</b> ") - skip to #8 and enter "NO" status code, after documenting the currently unacceptable impacts to the surface water body, sediments, and/or eco-systems.
		If unknown - skip to 8 and enter "IN" status code.
	Rationale and Re	eference(s):

<sup>&</sup>lt;sup>4</sup> Note, because areas of inflowing groundwater can be critical habitats (e.g., nurseries or thermal refugia) for many species, appropriate specialist (e.g., ecologist) should be included in management decisions that could eliminate these areas by significantly altering or reversing groundwater flow pathways near surface water bodies.

<sup>&</sup>lt;sup>5</sup> The understanding of the impacts of contaminated groundwater discharges into surface water bodies is a rapidly developing field and reviewers are encouraged to look to the latest guidance for the appropriate methods and scale of demonstration to be reasonably certain that discharges are not causing currently unacceptable impacts to the surface waters, sediments or eco-systems.

Page 7

7.	Will groundwater <b>monitoring</b> / measurement data (and surface water/sediment/ecological data, as necessary) be collected in the future to verify that contaminated groundwater has remained within the horizontal (or vertical, as necessary) dimensions of the "existing area of contaminated groundwater?"	
	X If yes - continue after providing or citing documentation for planned activities or future sampling/measurement events. Specifically identify the well/measurement locations which will be tested in the future to verify the expectation (identified in #3) that groundwater contamination will not be migrating horizontally (or vertically, as necessary) beyond the "existing area of groundwater contamination."	
	If no - enter "NO" status code in #8.	
	If unknown - enter "IN" status code in #8.	
	Rationale and Reference(s):	
	Groundwater quality samples are currently collected bi-annually as a part of interim measures being performed at the Facility. The interim measures are documented in the "RCRA Facility and Interim Measures Work Plans" (HMI, 1997). In addition, groundwater level measurements and free product measurements are collected. Note that the Work Plan requires quarterly sampling of select wells at the Facility. USEPA and SMRC agreed in 2002 to sample all of the wells at the Facility on a bi-annual basis. In addition, the SVE systems and product recovery systems are maintained on a monthly basis. Long-term groundwater monitoring will be re-evaluated in the Corrective Measures Study.	
	Reference:	
	Hydrosystems Management, Inc. (HMI), 1997 RCRA Facility Investigation and Interim Measures Work	

Plan

Page 8

X	YE - Yes, "Migration of Contaminated Groundward verified. Based on a review of the information cont determination, it has been determined that the "Migroundwater" is "Under Control" at the St. Marys EPA ID # WVD004337135, located at 201 Barkwil Virginia. Specifically, this determination indicates "contaminated" groundwater is under control, and the conducted to confirm that contaminated groundwater "existing area of contaminated groundwater" This devaluated when the Agency becomes aware of signi	ration of Contaminated Refining Company facility Il St., St. Marys, West that the migration of nat monitoring will be remains within the etermination will be re-
	NO - Unacceptable migration of contaminated ground IN - More information is needed to make a determination of the contaminated ground in the contaminated ground grou	undwater is observed or exp
Completed by	(signature) /s/ (print) Barbara Smith (title) EPA Project Manager	Date 7/29/05
Supervisor	(signature) /s/ (print) Robert E. Greaves (title) Chief, RCRA Operations Branch (EPA Region or State) EPA-III	Date 8/1/05
Locations when	e References may be found:	

Contact telephone and e-mail numbers

(name)	Barbara Smith
(phone #)	(215) 814-5786
(e-mail)	smith.barbara@epa.gov